

Bibliography:

Publications, peer reviewed:

1. Li K, Sawamura D, Guidice GJ, Diaz LA, Mattei MG, Chu ML, Uitto J. Genomic organization of collagenous domains and chromosomal assignment of human 180-kDa bullous pemphigoid antigen-2, a novel collagen of stratified squamous epithelium. *J. Biol. Chem.* 266:24064-24069, 1991.
2. Sawamura D, Li K, Chu ML, Uitto J. Human bullous pemphigoid antigen (BPAG1), amino acid sequences deduced from cloned cDNAs predict biologically important peptide segments and protein domains. *J. Biol. Chem.* 266:17784-17790, 1991.
3. Sawamura D, Li K, Nomura K, Sugita Y, Christiano AM, Uitto J. Bullous pemphigoid antigen: cDNA cloning, cellular expression, and evidence for polymorphism of the human gene. *J. Invest. Dermatol.* 96:908-915, 1991.
4. Ryyanen M, Knowlton, RG, Kero M., Sawamura D, Li K, Guidice GJ, Diaz LA, Uitto J. Bullous pemphigoid antigens (BPAGs): Identification of RFLPs in human BPAG1 and BPAG2, and exclusion as candidate genes in a large kindred with dominant epidermolysis bullosa simplex. *Genomics* 11:1025-1029, 1991.
5. Li K, Guidice GJ, Tamai K, Do HY, Sawamura D, Diaz LA, Uitto J. Cloning of partial cDNAs for the mouse 180-kDa bullous pemphigoid antigen (BPAG2), a highly conserved collagenous protein of the cutaneous basement membrane zone. *J. Invest. Dermatol.* 99:258-263, 1992.
6. Sawamura D, Li K, Uitto J. The 230-kD and 180-kD bullous pemphigoid antigens are distinct gene products. *J. Invest. Dermatol.* 98:942-943, 1992
7. Tamai K, Sawamura D, Do HY, Tamai Y, Li K, Uitto J. The human 230-kDa bullous pemphigoid antigen gene (BPAG1): Exon-intron organizations and identification of regulatory tissue specific elements in the promoter region. *J. Clin. Invest.* 92:814-822, 1993.
8. Copeland NG, Gilbert DJ, Li K, Sawamura D, Guidice GJ, Chu ML, Jenkins NA, Uitto J. Chromosomal localization of mouse bullous pemphigoid antigens, BPAG1 and BPAG2: Identification of a new region of homology between mouse and human chromosomes. *Genomics* 15:180-181, 1993.
9. Li K, Tamai K, Tan EML, Uitto J. Cloning of type XVII collagen: Complementary and genomic DNA sequences of mouse 180-kDa bullous pemphigoid antigen (BPAG2) predict an interrupted collagenous domain, a transmembrane segment, and unusual features in the 5'-end of the gene and the 3'-end untranslated region of the mRNA. *J. Biol. Chem.* 268:8825-8834, 1993
10. Li K, Christiano AM, Copeland NG, Gilbert DJ, Chu ML, Jenkins NA, Uitto J. cDNA cloning and chromosomal mapping of the mouse type VII collagen (COL7A1), evidence for rapid evolutionary divergence of the gene. *Genomics* 16:733-739, 1993.
11. Tamai K, Li K, Uitto J. Identification of a DNA binding protein (KTP-1) recognizing a keratinocyte-specific regulatory element in the 230-kDa bullous pemphigoid antigen (BPAG1) gene. *J. Biol. Chem.* 269:493-502, 1994.
12. Tamai K, Sawamura D, Do HC, Li K, Uitto J. Molecular biology of the 230-kDa bullous pemphigoid antigen: Cloning of the gene (BPAG1) and its tissue specific regulation. *Dermatology* 189(Suppl):27-33, 1994
13. Tamai K, Li K, Silos S, Rudnicka L, Hashimoto T, Nishikawa T, Uitto J. Interferon- γ mediated inactivation of the 230-kDa bullous pemphigoid antigen gene (BPAG1) provides novel insight into keratinocyte differentiation. *J. Biol. Chem.* 270:392-296, 1995.
14. Tamai K, Silos S, Li K, Korkeela E, Ishikawa H, Uitto J. Tissue-specific expression of the 230-kDa bullous pemphigoid antigen gene (BPAG1), identification of a novel keratinocyte regulatory cis-element, KRE3. *J. Biol. Chem.* 270:7609-7614, 1995.

15. Bernstein EF, Fisher LW, Li K, LeBaron RG, Tan EML, Uitto J. Differential versican and decorin gene expression in photoaged skin: Comparison of sun-protected and photoaged skin by immunohistochemical and Northern analyses. *Lab. Invest.* 72:662-669, 1995.
16. McGrath JA, Gatalica B, Christiano AM, Li K, Owaribe K, McMillan JR., Eady RAJ, Uitto J. Mutations in the 180-kD bullous pemphigoid antigen (BPAG2), a hemidesmosomal transmembrane collagen (Col17A1) in generalized atrophic benign epidermolysis bullosa. *Nature Genetics* 11:83-86, 1995.
17. Silos SA, Tamai K, Li K, Kivirikko S, Christiano AM, Uitto J. Cloning of the gene for human pemphigus vulgaris antigen (Desmoglein 3), a desmosomal cadherin. *J. Biol. Chem.* 271:17504-17511, 1996.
18. Kivirikko S, Li K, Christiano AM, Uitto J. Cloning of mouse type VII collagen reveals evolutionary conservation of functional protein domains and genomic organization. *J. Invest. Dermatol.* 106:1300-1306, 1996.
19. McGrath JA., Gatalica B, Li K, Dunnill GS, McMillan JR., Christiano AM, Eady RA, Uitto J. Compound heterozygosity for a dominant glycine substitution and a recessive internal duplication mutation in the type XVII collagen gene results in junctional epidermolysis bullosa and abnormal dentition. *A. J. Pathol.* 148:1787-1796, 1996.
20. Gatalica B, Pulkkinen L, Li K, Ryyananen M, McGrath JA, Uitto J. Cloning of the human type XVII collagen gene (COL17A1), and detection novel mutations in generalized atrophic benign epidermolysis bullosa. *Am J Hum Genet.* 60:352-365, 1997.
21. Aho S, McLean WHI, Li K, Uitto J. cDNA cloning, mRNA expression, and chromosomal mapping of human and mouse periplakin genes. *Genomics* 48: 242-247, 1998.
22. Lakkakorpi J, Li K, Decker S, Korkeela E, Piddington R, Abrams W, Bashir M., Uitto J, Rosenbloom J. Expression of the elastin promoter in novel tissue sites in transgenic mouse embryos. *Conn. Tiss. Res.* 40:155-62, 1999.
23. Ishikawa H, Li K, Tamai K, Sawamura D, Uitto J. Cloning of the mouse desmoglein 3 gene (DSG3): Interspecies conservation within the cadherin superfamily. *Exp. Dermatol.* 9:229-239, 2000
24. Ghohestani R., Li K, Rousselle P, Uitto J. Molecular organization of the cutaneous basement membrane zone. *Clin Dermatol.* 19(5):551-62, 2001
25. Kaithamana S, Fan JL, Memar K, Li K, Uitto J, Seetharamaiah S, Prabhakar BS. Relevance of differential immunogenicity of human and mouse recombinant desmoglein-3 for the induction of acantholytic autoantibodies in mice. *Clin. Exp. Immunol.* 132:16-23, 2003
26. Aho S, Li K, Ryou Y, McGee C, Ishida-Yamamoto A, Uitto J, Klement J. Periplakin gene targeting reveals a constituent of the cornified cell envelop dispensable for normal mouse development. *Mol Cell Biol.* 24(14):6410-8, 2004
27. Klement JF, Matsuzaki Y, Jiang QJ, Choi HY, Fujimoto N, Li K, Pulkkinen L, Birk DE, Sundberg JP, and Uitto J. Targeted ablation of the abcc6 gene results in ectopic mineralization of connective tissues. *Mol Cell Biol.* 25(18):8299-310, 2005.
28. Jiang Q, Matsuzaki Y, Li K, Uitto J. Transcriptional regulation and characterization of the promoter region of the human ABCC6 gene. *J Invest Dermatol.* 126(2):325-35, 2006.

Publications, non-peer reviewed:

1. Tan EML, Rouda S, Hoffren J, Chen YQ, Uitto J and Li K. Extracellular matrix gene expression by human keratinocytes and fibroblasts from donors of varying ages. *Trans. Assoc. of Am. Phys.*, Volume CVI:168-178, 1993

Abstracts:

- 1 Li K, Sawamura D, Nomura K, Sugita Y, Uitto J. cDNA cloning of 230-kD bullous pemphigoid antigen (BPAG1), its cellular expression and polymorphism of the human gene. In

- "Abstracts of the 11th Annual Meeting of the East Coast Connective Tissue Society", Abstract No. I-21, New Brunswick, NJ, March 22-23, 1991.
2. Sawamura D, Li K, Chu ML, Uitto J. Human 230-kD bullous pemphigoid antigen: Amino acid sequences deduced from cloned cDNAs predict a putative signal peptide and a trans-membrane segment. In "Abstracts of the 11th Annual Meeting of the East Coast Connective Tissue Society", Abstract No. I-32, New Brunswick, NJ, March 22-23, 1991.
 3. Ryyanen M, Knowlton RG, Sawamura D, Li K, Uitto J. Epidermolysis bullosa: exclusion of bullous pemphigoid antigen (BPAG1) locus as the candidate gene in a large kindred with dominant simplex (EBS2) subtype. In "Abstracts of the 11th Annual Meeting of the East Coast Connective Tissue Society", Abstract No. I-31, New Brunswick, NJ, March 22-23, 1991.
 4. Li K, Sawamura D, Nomura K, Sugita Y, Christiano AM, Uitto J. cDNA cloning of human 230-kD bullous pemphigoid antigen (BPAG1), its cellular expression and polymorphism of the gene. *J. Invest. Dermatol.* 96:556, 1991.
 5. Sawamura D, Li K, Chu ML, Uitto J. Human 230-kD bullous pemphigoid antigen: amino acid sequences deduced from cloned cDNAs predicted a putative signal peptide and a trans-membrane segment. *J. Invest. Dermatol.* 96:532, 1991.
 6. Ryyanen M, Knowlton RG, Sawamura D, Li K, Guidice GJ, Diaz LA, Uitto J. Molecular genetics of human bullous pemphigoid antigens: Polymorphic genes for 230-kD and 180-kD proteins are excluded as the candidate genes in a large kindred with dominant simplex epidermolysis bullosa. *J. Invest. Dermatol.* 96:535, 1991.
 7. Uitto J, Ryyanen M, Christiano AM, Parente G, Chung LC, Sawamura D, Li K, Guidice GJ, Diaz LA, Mattei MG, Chu ML, and Knowlton RG: Molecular genetics of the cutaneous basement membrane zone. *J. Invest. Dermatol.* 98:398, 1992.
 8. Sawamura D, Li K, Chu ML, Uitto J. Human bullous pemphigoid antigen (BPAG1): amino acid sequence deduced from cloned cDNAs predicts biologically important protein domains. *J. Invest. Dermatol.* 98:400, 1992.
 9. Li K, Sawamura D, Guidice GJ, Diaz LA, Mattei MG, Chu ML, Uitto J. Genomic organization of collagenous domains and chromosomal assignment of human 180-kD bullous pemphigoid antigen (BPAG2), a novel collagen of stratified squamous epithelium. *J. Invest. Dermatol.* 98:400, 1992.
 10. Uitto J, Ryyanen M, Parente, MG, Chung LC, Sawamura D, Li K, Guidice GJ, Diaz LA, and Knowlton RG: Cloning and chromosomal assignment of human type VII collagen (COL7A1), and bullous pemphigoid antigen 1 and 2 (BPAG1 and BPAG2) genes. In "Abstracts of the 8th International Congress of Human Genetics", Abstract No.:1922, Washington, D.C., October 6-11, 1991.
 11. Li K, Sawamura D, Guidice GJ, Diaz LA, Mattei MG, Chu ML, Uitto J. Genomic organization of collagenous domains and chromosomal assignment of human 180-kD bullous pemphigoid antigen (BPAG2), a novel collagen of stratified squamous epithelium. In "Abstracts of the Fifth Annual Faculty Research Day of Thomas Jefferson University", Abstract No. 70, Philadelphia, PA, October 9, 1991.
 12. Sawamura D, Li K, Chu ML, Uitto J. Human bullous pemphigoid antigen (BPAG1): Amino acid sequence deduced from cloned cDNAs predicts biologically important protein domains. In "Abstracts of the Fifth Annual Faculty Research Day of Thomas Jefferson University", Abstract No. 71, Philadelphia, PA, October 9, 1991.
 13. Li K, Sawamura D, Guidice GJ, Diaz LA, Mattei MG, Chu ML, Uitto J. Gene structure for collagenous domains and chromosomal assignment of the human 180-kDa bullous pemphigoid antigen, a novel epithelial collagen. *FASEB J.* 6:A352, 1992.
 14. Li K, Tamai K, Do HC, Guidice GJ, Diaz LA, Sawamura D, Uitto J. Cloning of 180-kDa bullous pemphigoid antigen (BPAG2), a highly conserved collagenous protein. In "Abstracts

of the 12th Annual Meeting of the East Coast Connective Tissue Society", Abstract No. I-3, Boston, MA, March 27-28, 1992.

15. Li K, Tamai K, Do HC, Sawamura D, Uitto J. Cloning of mouse 180-kD bullous pemphigoid antigen (BPAG2), a highly conserved collagenous protein. *J. Invest. Dermatol.* 98:572, 1992.
16. Tamai K, Sawamura D, Li K, Do HC, Uitto J. The human 230-kD bullous pemphigoid antigen gene: characterization of regulatory cis-elements in the promoter. *J. Invest. Dermatol.* 98:569, 1992.
17. Do HC, Sawamura D, Tamai K, Li K, Uitto J. The human 230-kD bullous pemphigoid antigen gene (BPAG1): Different exon-Intron organization in the segments coding for distinct protein domains. *J. Invest. Dermatol.* 98:580, 1992.
18. Li K, Tamai K, Do HC, Sawamura D, Guidice GJ, Diaz LA, Uitto J. cDNA cloning of mouse 180-kD bullous pemphigoid antigen (BPAG2), a highly conserved collagenous protein of the cutaneous basement membrane zone. In "Abstracts of the Fourth International Conference on the Molecular Biology and Pathology of Matrix", Abstract No. I-19, Philadelphia, PA, June 10-13, 1992.
19. Tamai K, Li K, Do HC, Sawamura D, Uitto J. Demonstration of tissue specific expression of the promoter for the human 230-kD bullous pemphigoid antigen gene. In "Abstracts of the Fourth International Conference on the Molecular Biology and Pathology of Matrix", Abstract No. IV/V-54, Philadelphia, PA, June 10-13, 1992.
20. Do HC, Tamai K, Li K, Sawamura D, Uitto J.: The human 230-kD bullous pemphigoid antigen gene (BPAG1). In "Abstracts of the Fourth International Conference on the Molecular Biology and Pathology of Matrix ", Abstract No. I-16, Philadelphia, PA, June 10-13, 1992.
21. Uitto J, Christiano AM, Li K, Guidice GJ, Chu ML, and Knowlton RG: Cloning and chromosomal assignment of cutaneous basement membrane zone genes expressed in human keratinocytes: Candidate genes for epidermolysis bullosa. *J. Cell. Biochem. Abstract Supplement* 16F:57, 1992
22. Li K, Tamai K, Tan EML, Uitto J. Complementary and genomic DNA cloning of type XVII collagen. In "Abstracts of the 13th Annual Meeting of East Coast Connective Tissue Society ", p. 27, Philadelphia, PA, March 19-20, 1993.
23. Kivirikko S, Li K, Katchman S, Christiano AM, Uitto J. Cloning of mouse type VII collagen gene (COL7A1): Evidence for rapid evolutionary divergence of the gene. In "Abstracts of the 13th Annual Meeting of East Coast Connective Tissue Society", p. 26, Philadelphia, PA, March 19-20, 1993.
24. Tan EML, Rouda S, Hoffren J, Chen YQ, Uitto J, Li K. Donor age-dependent expression of extracellular matrix genes by human keratinocytes and fibroblasts. In "Abstracts of the 13th Annual Meeting of East Coast Connective Tissue Society", p. 57, Philadelphia, PA, March 19-20, 1993.
25. Li K, Tamai K, Tan EML, Uitto J. Cloning of complementary and genomic DNA sequences of mouse 180-kDa bullous pemphigoid antigen (BPAG2) predicts an interrupted collagenous domain-type XVII collagen. *J. Invest. Dermatol.* 100:523, 1993.
26. Tamai K, Li K, Uitto J. Identification of a novel DNA binding protein (KTP-1) in human keratinocytes: Role in tissue specific expression of 230-kDa bullous pemphigoid antigen. *J. Invest. Dermatol.* 100:498, 1993.
27. Silos S, Tamai K, Li K, Uitto J. Human 230-kDa bullous pemphigoid antigen (BPAG1): Identification of the transcription initiation site of the gene and demonstration of functional promoter activity. *J. Invest. Dermatol.* 100:526, 1993.
28. Kivirikko S, Li K, Katchman S, Christiano AM, Uitto J. Cloning of mouse type VII collagen gene (Col7A1): Evidence for rapid evolutionary divergence of the gene. *J. Invest. Dermatol.* 100:524, 1993.

29. Bernstein EF, Resnik K, Chen YQ, Mauviel A, Li K, Uitto J. Comparison of sun-exposed to protected skin in the same individual by tissue extraction of mRNA. *J. Invest. Dermatol.* 100:598, 1993.
30. Uitto J, Christiano AM, Chung-Honet LC, Greenspan DS, Li K, Tamai K: Molecular complexity of the cutaneous basement membrane zone: perspectives on wound healing. Abstract R24, *J. Cell. Biochem. Suppl.* 17E:109, 1993.
31. Li K, Tamai K, Tan EML, Uitto J. Complementary and genomic DNA cloning of type XVII collagen. In "Abstracts of Gordon Research Conferences, Epithelial Differentiation and Keratinization", Tilton School, Tilton, NH, August 1-6, 1993.
32. Tamai K, Li K, Silos SA, Uitto J. Molecular mechanisms of keratinocyte- and differentiation-specific expression of the 230-kDa bullous pemphigoid antigen gene (BPAG1). *J. Invest. Dermatol.* 101:339, 1993.
33. Silos SA, Tamai K, Li K, Uitto J. Identification of transcription initiation site of the pemphigus vulgaris antigen gene and cell specificity of expression. *J. Invest. Dermatol.* 101:417, 1993.
34. Bernstein EF, Resnik KS, Chen YQ, Tamai K, Shipley K, Li K, Tuan R, Uitto J. Enhanced elastin gene expression in chronically photodamaged skin: Localization of mRNAs by in situ hybridization and evidence for transcriptions with promoter/reporter gene constructs. *J. Invest. Dermatol.* 101:417, 1993.
35. Tamai K, Silos S, Li K, Tamai Y, Ishikawa H, Uitto J. Keratinocyte-specific expression of the 230-kDa bullous pemphigoid antigen (BPAG1): Identification of a novel regulatory cis-element. *J. Invest. Dermatol.* 102:524, 1994.
36. Silos S, Tamai K, Li K, Uitto J. The pemphigus vulgaris antigen (PVA): characterization of the 5'-end of the gene and the flanking DNA. *J. Invest. Dermatol.* 102:535, 1994.
37. Li K, Korkeela E, Tamai K, Uitto J. Type XVII collagen (the 180-kDa bullous pemphigoid antigen): structural and functional characterization of the 5'-flanking region of the mouse gene. *J. Invest. Dermatol.* 102:549, 1994.
38. Korkeela E, Li K, Kivirikko S, Uitto J. Expression of the promoter/lacZ reporter gene constructs of type VII and XVII collagen in epidermal keratinocytes and dermal fibroblasts in vitro. *J. Invest. Dermatol.* 102:549, 1994.
39. Uitto J, Christiano AM, Greenspan DS, Li K. Cloning of collagens of the cutaneous basement membrane zone: Type VII and XVII. In "Abstracts of the Fifth International Conference on the Molecular Biology and Pathology of Matrix", Abstract No. I-1, Philadelphia, PA, June 19-22, 1994.
40. Li K, Uitto J. Molecular biology of the 230-kDa and 180-kDa bullous pemphigoid antigens. In "Abstracts of the First National Conference of Chinese Experimental Dermatology, Chinese Dermatology Society", p. 27-28, Beijing, China, May 18-21, 1995.
41. Limardo M, Li K, Korkeela E, Uitto J. Identification of regulatory tissue-specific elements in the promoter region of mouse type XVII collagen (the 180-kDa Bullous pemphigoid antigen). *J. Invest. Dermatol.* 104:559, 1995.
42. Silos S, Tamai K, Li K, Kivirikko S, Christiano AM, Uitto J. Cloning of the gene for human pemphigus vulgaris antigen (desmoglein 3). *J. Invest. Dermatol.* 104:558, 1995.
43. Tamai K, Li K, Ishikawa T, Nishikawa T, Hashimoto I., Uitto J. Novel biological activity of interferon- γ on keratinocytes: Transcriptional inactivation of the 230-kDa bullous pemphigoid antigen gene (BPAG1). *J. Invest. Dermatol.* 104:558, 1995.
44. Gatalica B, Li K, McGrath JA, Uitto J. The human type XVII collagen gene: Exon-intron organization and identification of a common polymorphism. *J. Invest. Dermatol.* 104:638, 1995.
45. Ishikawa H, Li K, Silos S, Tamai K, Motoki K, Uitto J. Cloning of the full-length cDNA and the gene of the mouse pemphigus vulgaris antigen. *J. Invest. Dermatol.* 104:638, 1995.

46. Lakkakorpi JT, Bernstein EF, Fishar LW, Li K, Lebaron RG, Tan EML, Uitto J. Differential expression of the versican and decorin genes in photoaged and sun-protected skin. *J. Invest. Dermatol.* 104:676, 1995.
47. Megahed M., Li K, LaForgia S, Ruzicka T, Uitto J. Immunoscreening of a human keratinocyte cDNA library with pemphigus herpeticus serum results in identification of a novel gene. *J. Invest. Dermatol.* 104:631, 1995.
48. Li K, Korkeela E, Kivirikko S, Ishikawa H, Sawamura D, Uitto J. In vivo expression of the promoter/lacZ reporter gene constructs of the basement membrane zone genes in keratinocytes and dermal fibroblasts. *J. Invest. Dermatol.* 104:676, 1995.
49. Gatalica B, Li K, McGrath JA, Christiano AM, Uitto J. Cloning of the human type XVII collagen gene (Col17A1): A candidate gene for junctional epidermolysis bullosa. *A. J. human genetics* 57 suppl.:A313, 1995.
50. Li K, Lakkakorpi J, Rasanen M, Sawamura D, Uitto J. Bullous pemphigoid antigen genes (BPAG1 and BPAG2): in vivo Expression of the promoter/LacZ reporter gene constructs in transgenic Mice. *J. Invest. Dermatol.* 106:812, 1996.
51. McGrath J, Gatalica B, Li K, Dunnill MG, McMillan J, Christiano AM, Eady RAJ, Uitto J. Compound heterozygosity for a dominant glycine substitution and a recessive internal duplication mutation in the type XVII collagen gene results in junctional epidermolysis bullosa and abnormal dentition. *J. Invest. Dermatol.* 106:842, 1996.
52. Ishikawa H, Li K, Tamai K, Sawamura D, Hashimoto I, Uitto J. Molecular cloning of the mouse desmoglein 3 gene: Genomic structure and homology with the human gene. *J. Invest. Dermatol.* 106:848, 1996.
53. Gatalica B, Li K, McGrath JA, Uitto J. Cloning of the human type XVII collagen (COL17A1), a candidate gene for a variant, GABEB, of junctional epidermolysis bullosa. *J. Invest. Dermatol.* 106:860, 1996.
54. Lakkakorpi J, Li K, Decker S, Korkeela E, Piddington R, Bashir M, Uitto J, and Rosenbloom J: Expression of the elastin promoter using a β -galactosidase construct in a transgenic mouse. In "Abstracts of 1996 Congress of the American Society for Cell Biology", San Francisco, CA, December 7-11, 1996.
55. Li K, Lakkakorpi J, Korkeela E, Klement J, Sawamura D, Rosenbloom J, Uitto J. The 230-kD bullous pemphigoid antigen (BPAG1) is expressed in the nervous system during early embryonic development. *J. Invest. Dermatol.* 108:542, 1997.
56. Li K, Aho S, McLean I, Ryoo Y-W, Uitto J. Periplakin: Mouse cDNA cloning, chromosomal mapping, and regulation of gene expression. *J Dermatological Science* 16 S131, 1998.
57. Li K. Epidermolysis bullosa. Philadelphia Society Meeting, Philadelphia, PA, October 12, 2001.
58. Li K, Matsuzaki Y, Ringpfeil F, Pulkkinen L, Uitto J. Pseudoxanthoma elasticum (PXE): promoter cloning and gene regulation of MRP6. Pennsylvania Academy of Dermatology 34th Annual Meeting, October 12-14, 2001.
59. Matsuzaki Y, Li K, Uitto J. Gene regulation of the human MRP6. Annual Meeting of Society for Investigative Dermatology, LA, May 15-19, 2002
60. Matsuzaki Y, Terlizzi J, Li K, Leperi D, Klement J, Pulkkinen L, Uitto J. Pseudoxanthoma elasticum-development of a mouse model by targeted ablation of ABCC6. The Forth Joint Meeting of International Investigative Dermatology, April 30 - May 4, Miami, 2003. *J. Invest. Dermatol.* 121:A0672, 2003.
61. Fujimoto N, Terlizzi J, Li K, Aho S, Uitto J. Assembly of elastic fibers: elastin and MFAP3 interactions determined by yeast two-hybrid genetic system. The 65th Annual Meeting of the Society for Investigative Dermatology. April 28 – May 1, 2004. *J. Invest. Dermatol.* 122:A36, 2004.
62. Terlizzi J, Li K, Aho S, Fujimoto N, Oyama N, Chan I, McGrath JA, Uitto J. Characterization of ECM-1 protein interactions by yeast two-hybrid system. The 65th Annual Meeting of the

Society for Investigative Dermatology. April 28 – May 1, 2004. *J. Invest. Dermatol.* 122:A38, 2004.

63. Jiang Q, Matsuzaki Y, Li K, Uitto J. Transcriptional regulation of ABCC6 gene expression: identification of novel cis-element, role of Sp1, and cytokine modulation of the promoter activity. The 65th Annual Meeting of the Society for Investigative Dermatology. April 28 – May 1, 2004. *J. Invest. Dermatol.* 122:A87, 2004.
64. Uitto J, Matsuzaki Y, Terlizzi J, Jiang Q, Choi H, Li K, Pulkkinen L, Birk D, Sundberg A and Klement J. A mouse model for pseudoxanthoma elasticum: targeted ablation of ABCC6 results in aberrant calcification of connective tissues. 66th SID Annual Meeting, St. Louis, Missouri, May 4 – 7, 2005.

Books:

1. Li K and Golitz L: Hansen's Disease (Leprosy) in *Textbook of Dermatology Secrets in Color*, 3rd Edition, Mosby Elsevier, 2007.
2. Li K and Golitz L: Hansen's Disease in *Textbook of Dermatology Secrets in Color: With STUDENT CONSULT Online Access*, 4th Edition, Mosby Elsevier, 2010.